

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	0	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6 and device \$1 with (component\$1 or sub\$component\$1or child \$3) and device\$1 with (pool \$1 or disk\$1 or array or raid \$1) and device\$1 with proper\$3 and smi\$bluefin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:03
L5	0	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6 and device \$1 with (component\$1 or sub\$component\$1or child \$3) and device\$1 with (pool \$1 or disk\$1 or array or raid \$1) and device\$1 with proper\$3 and bluefin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:04
L6	0	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6 and device \$1 with (component\$1 or sub\$component\$1or child \$3) and device\$1 with (pool \$1 or disk\$1 or array or raid \$1) and bluefin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:05
L7	0	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with (pool\$1 or disk\$1 or array or raid\$1) and bluefin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:06
L8	0	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with (pool\$1 or disk\$1 or array or raid\$1) and \$bluefin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:06

L9	125	\$bluefin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:07
L10	13	\$bluefin and device\$1 with (pool\$1 or disk\$1 or array or raid\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:07
L11	20	\$bluefin and (pool\$1 or disk \$1 or array or raid\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:09
L12	11	("20040054866" "20040085347" "20040243945" "20050108375" "20060015879" "20060206678" "6748553" "6785695" "6802025" "6820214" "7181578").PN. OR ("7328325").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/31 14:11
L14	7	SMI near2 bluefin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:35
L15	7	SMI same bluefin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:35
L16	7	SMI and bluefin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:35

L17	76	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6 and device \$1 with (component\$1 or sub\$component\$1or child \$3) and device\$1 with (pool \$1 or disk\$1 or array or raid \$1) and device\$1 with proper\$3	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:45
S1	20435	cim	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:20
S2	101	"cim" and "cimom"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 17:37
S3	6	"cim" and "cimom" and (creat\$3 same (stor\$3 near object\$1))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 11:54
S4	16	((("20020184360") or ("20030055808") or ("20030093509") or ("6389432") or ("6560591") or ("20020161934") or ("20020107872") or ("6044369") or ("20020013808") or ("20030115296") or ("5890165") or ("6345368") or ("20030037177") or ("6427168") or ("20010027470") or ("20020166002")).PN.	US-PGRUB; USPAT; USOCR	OR	OFF	2006/06/01 12:19
S5	3	((("20040181529") or ("20030220892") or ("20040167975")).PN.	US-PGRUB; USPAT; USOCR	OR	OFF	2006/06/01 12:19
S6	813	"cim" and array\$1	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:22
S7	8	"cim" and array\$1 and "id \$1"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:20

S8	666	"cim" and array\$1 and (id \$1 or identif\$7)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:22
S9	185	"cim" and array\$1 and ((id \$1 or identif\$7) with device \$1)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:23
S10	99	"cim" and array\$1 and ((id \$1 or identif\$7) with device \$1) and (repeat\$3)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:24
S11	32	"cim" and array\$1 and ((id \$1 or identif\$7) with device \$1) and (repeat\$3 with process\$2)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 17:36
S12	3	"cim" and (disk with array \$1) and ((id\$1 or identif \$7) with device\$1) and (repeat\$3 with process\$2)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:49
S13	105	"cim" and "smi"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:47
S14	4	"cim" and "smi" and "srm"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:47
S15	38507	"cim" (((ID\$1 or identif\$7) with (storage\$1 near device \$1)))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:50
S16	68	"cim" and (((ID\$1 or identif \$7) with (storage\$1 near device\$1))) and (object\$1)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:51
S17	29	"cim" and (((ID\$1 or identif \$7) with (storage\$1 near device\$1))) and (storage with object\$1)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:55

S18	7	"cim" and ((ID\$1 or identif\$7) with (storage\$1 near device\$1) with object\$1)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:58
S19	1011	((ID\$1 or identif\$7) with (storage\$1 near device\$1) with object\$1)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:59
S20	206	((ID\$1 or identif\$7) with (storage\$1 near device\$1) with object\$1) and (repeat\$3 with process\$3)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 17:01
S21	2	((ID\$1 or identif\$7) with (storage\$1 near device\$1) with object\$1) and (repeat\$3 with process\$3) and cim	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 17:08
S22	28	((ID\$1) with (storage\$1 near device\$1) with object\$1) and (repeat\$3 with process\$3)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 17:09
S23	6074	((707/1) or (707/100) or (709/101) or (709/223)). CCLS.	USPAT; USOCR	OR	OFF	2006/06/05 17:35
S24	0	S23 and "cim" and array\$1 and ((id\$1 or identif\$7) with device\$1) and (repeat\$3 with process\$2)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 17:37
S25	5	S23 and "cim" and "cimom"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 17:37
S26	6	"cim" and "cimom" and (disk near array\$1)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 17:38
S27	1	("6493719").PN.	USPAT; USOCR	OR	OFF	2007/06/15 11:26
S28	1	("6871346").PN.	USPAT; USOCR	OR	OFF	2007/06/15 11:33
S29	1	("6862736").PN.	USPAT; USOCR	OR	OFF	2007/06/15 11:33
S30	1	("6003104").PN.	USPAT; USOCR	OR	OFF	2007/06/18 13:40

S31	86	cim with client with application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 12:15
S32	75	cim with client with application and single	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 13:13
S33	26	cim with client with application and single with (induir\$3 or request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 13:14
S34	26	cim with client with application and single with (inquir\$3 or request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 14:11
S35	3700	fingerprint with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 17:31
S36	27913	("707").CLAS.	USPAT; USOCR	OR	OFF	2008/03/13 17:31
S37	91	S35 and S36	USPAT	OR	OFF	2008/03/13 17:31
S38	2593	disk near array near system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 21:25
S39	12	disk near array near system and cim with application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 21:25
S40	29	disk\$1 with array\$1 and cimom and cim with application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 21:29
S41	1	disk\$1 with array\$1 and cimom and cim with application and disk\$1 with array\$1 with (id\$1 or identit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 21:29
S42	1	("7062516").PN.	USPAT; USOCR	OR	OFF	2008/12/10 21:00

S43	11	cim with client with (query \$3 or inquire\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:10
S44	7	cim with client with (query \$3 or inquire\$3) and cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:11
S45	4	cim with client with (query \$3 or inquire\$3) and cimom and storage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:13
S46	111	cim with client and (query \$3 or inquire\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:26
S47	16	cim with client and (query \$3 or inquire\$3) and storage with (ID\$1 or ident \$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:26
S48	10	cim with client and (query \$3 or inquire\$3) and storage with (ID\$1 or ident \$6) and cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:26
S49	4	storage with level\$1 with cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:31
S50	8	storage with level\$1 same cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:32
S51	28	storage with level\$1 and cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:32

S52	8	(storage or disk\$1) with level\$1 same cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:44
S53	8	(storage or disk\$1) with level\$1 same cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:44
S54	39	(storage or disk\$1) with level\$1 and cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:44
S55	6	(storage or disk\$1) with level\$1 and cimom with entit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:45
S56	27	("20020013808" "20020087671" "20020103889" "20020107872" "20020112043" "20020184360" "20030055808" "20030055809" "20030055933" "20030055943" "20030093501" "20030093509" "20030115296" "20040243699" "6044369" "6266679" "6286013" "6345368" "6389432" "6427168" "6560591" "6697924" "6769022" "6912537" "7043738" "7191358" "7257103").PN. OR ("7500000").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/23 18:46
S57	0	cimom with entit\$3 same (parent child)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:49

S58	0	cimom with entit\$3 same (parent or child)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:49
S59	1	cimom with entit\$3 same (parent or child or level)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:49
S60	1	cimom with entit\$3 same (parent or child or level\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:49
S61	1	cimom with entit\$3 same (parent or child or level\$1 or subcomponent\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:49
S62	7	cimom with entit\$3 same (parent or child or level\$1 or subcomponent\$1 or components)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:50
S63	7	cimom with entit\$3 same (parent or child or level\$1 or subcomponent\$1 or component\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:50
S64	1	(*6317748").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/23 19:12
S65	6	cim with client and storage with (hierarch\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:33
S66	7	cim with client and storage with (hierarch\$6 or tree\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:33

S67	26039	storage with (hierarch\$6 or tree\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:35
S68	587	storage with (hierarch\$6 or tree\$1) and (quer\$3 or inquir\$3) with (parent or root or top\$level)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:36
S69	152	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (quer\$3 or inquir\$3) with (parent or root or top\$level)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:37
S70	69	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (quer\$3 or inquir\$3) with (parent or root or top\$level) and information with (hierarch\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:37
S71	19	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (quer\$3 or inquir\$3) with (parent or root or top\$level) and information with (hierarch\$6 or tree\$1) with relationship\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:38
S72	93	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (quer\$3 or inquir\$3) with (parent or root or top\$level) and information with (hierarch\$6 or tree\$1) and relationship\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:40
S73	6	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (quer\$3 or inquir\$3) with (parent or root or top\$level) and information with (hierarch\$6 or tree\$1) and relationship\$1 with storage with (entit\$3 or device\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:41

S74	2	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (quer\$3 or inquir\$3) with (parent or root or top\$level) with (id \$1 or identit\$6) and information with (hierarch \$6 or tree\$1) and relationship\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:42
S75	9	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (quer\$3 or inquir\$3) with (parent or root or top\$level) with (id \$1 or identit\$6) and information with (hierarch \$6 or tree\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:42
S76	11	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (quer\$3 or inquir\$3) with (parent or root or top\$level) with (id \$1 or identit\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:45
S77	336	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (parent or root or top\$level) with (id \$1 or identit\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:46
S78	159	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (parent or root or top\$level) with (id \$1 or identit\$6) same information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:46
S79	18	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (parent or root or top\$level) with (id \$1 or identit\$6) same (information with relation \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:46
S80	135	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (parent or root or top\$level) with (id \$1 or identit\$6) and (information with relation \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:48

S81	27	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (parent or root or top\$level) with (id \$1 or identit\$6) and (information with relation \$5) same (parent with child)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:48
S82	27	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (parent or root or top\$level) with (id \$1 or identit\$6) and (information with relation \$5) same (parent\$1 with child\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:49
S83	479	storage with (device\$1 or disk or raid) with (hierarch \$6 or tree\$1) and (parent or root or top\$level) with (id\$1 or identit\$6)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:54
S84	78	storage with (device\$1 or disk or raid) with (hierarch \$6 or tree\$1) and (parent or root or top\$level) with (device\$1 or disk or raid) with (id\$1 or identit\$6)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:54
S85	9	storage with (device\$1 or disk or raid) with (hierarch \$6 or tree\$1) and (parent or root or top\$level) with (device\$1 or disk or raid) with (id\$1 or identit\$6) and relationship\$1 with (device\$1 or disk or raid)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:54
S86	187	storage with (device\$1 or disk or raid) with (hierarch \$6 or tree\$1) and (parent or root or top\$level) with (device\$1 or disk or raid) with (id\$1 or identit\$6)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:57
S87	113	storage with (device\$1 or disk or raid) with (hierarch \$6 or tree\$1) and (parent or root or top\$level) with (device\$1 or disk or raid) with (id\$1 or identit\$6) and relationship\$1	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:57

S88	53	storage with (device\$1 or disk or raid) with (hierarch\$6 or tree\$1) and (parent or root or top\$level) with (device\$1 or disk or raid) with (id\$1 or ident\$6) and relationship\$1 with (device\$1 or disk or raid)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:58
S89	6503	storage with (device\$1) with (hierarch\$6 or tree\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:11
S90	122	storage with (device\$1) with (hierarch\$6 or tree\$1) and (parent or root) with device\$1 with (id\$1 or ident\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:12
S91	29	storage with (device\$1) with (hierarch\$6 or tree\$1) and (parent or root) with device\$1 with (id\$1 or ident\$6) and device\$1 with relationship\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:13
S92	3	storage with (pool\$1 or disk\$1) with (hierarch\$6 or tree\$1) and (parent or root) with device\$1 with (id\$1 or ident\$6) and device\$1 with relationship\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:17
S93	12	storage with (pool\$1 or disk\$1) with (hierarch\$6 or tree\$1) and (parent or root) with device\$1 with (id\$1 or ident\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:18
S94	157	storage with (pool\$1 or disk\$1) with (hierarch\$6 or tree\$1) and (parent or root) with storage\$1 with (id\$1 or ident\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:18
S95	12	storage with (pool\$1 or disk\$1) with (hierarch\$6 or tree\$1) and (parent or root) with storage with (pool\$1 or disk\$1) with (id\$1 or ident\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:19

S96	1687	(storage or server or databases or disk\$1 or raid) with (hierarch\$6 or tree\$1) and (parent or root) with (storage or server or databases or disk \$1 or raid) with (id\$1 or ident\$6)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:27
S97	274	(server or databases or disk \$1 or raid) with (hierarch \$6 or tree\$1) and (parent or root) with (storage or server or databases or disk \$1 or raid) with (id\$1 or ident\$6) and relationship\$1 with information with (server or databases or disk \$1 or raid)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:28
S98	4	(server or databases or disk \$1 or raid) with (hierarch \$6 or tree\$1) and (parent or root) with (storage or server or databases or disk \$1 or raid) with (id\$1 or ident\$6) and relationship\$1 with information with (server or databases or disk \$1 or raid) and cim	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:28
S99	0	(server or databases or disk \$1 or raid) with (hierarch \$6 or tree\$1) and (parent or root) with (storage or server or databases or disk \$1 or raid) with (id\$1 or ident\$6) and relationship\$1 with information with (server or databases or disk \$1 or raid) and cimom	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:30
S100	62	(server or databases or disk \$1 or raid) with (hierarch \$6 or tree\$1) and (parent or root) with (storage or server or databases or disk \$1 or raid) with (id\$1 or ident\$6) and relationship\$1 with information with (server or databases or disk \$1 or raid) same (parent child)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:30

S101	15	("20030046260" "20060095698" "5495607" "5649196" "5673382" "5819020" "6021415" "6151602" "6366987" "6487561" "6594744" "6820099" "6829617" "6850945" "7069401").PN. OR ("7366742").URFN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/29 15:35
S102	133	storage with (node\$1) with (hierarch\$6 or tree\$1) and (parent or root) with storage with (node\$1) with (id\$1 or ident\$6)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:43
S103	31	storage with (node\$1) with (hierarch\$6 or tree\$1) and (parent or root) with storage with (node\$1) with (id\$1 or ident\$6) and relationship\$1 with storage \$1 with node\$1	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:44
S104	12	storage with (node\$1) with (hierarch\$6 or tree\$1) and (quer\$4 or request\$3 or inquir\$3) with information with (parent or root) with storage with node\$1	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:47
S105	18	storage with (node\$1 or device\$1) with (hierarch\$6 or tree\$1) and (quer\$4 or request\$3 or inquir\$3) with information with (parent or root) with storage with (node\$1 or device\$1)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:49
S106	1	("20040181529").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/29 18:08
S107	2	((("20040167975") or ("20030154404"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/29 18:18
S108	1	("7043732").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/29 18:24
S109	2	((("20020108102") or ("6854122"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/29 18:29
S110	60	cim same cimom same storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 18:31
S111	28	cim same cimom same storage same device\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 18:31

S112	4291	(hierarch\$6) with storage with (device\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 18:36
S113	87	(hierarch\$6) with storage with (device\$1) with identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 18:37
S114	42	(hierarch\$6) with storage with (device\$1) with identifier and relationship \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 18:37
S115	29575	manag\$3 with storage with device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:38
S116	200	manag\$3 with storage with device\$1 and cim	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:38
S117	54	manag\$3 with storage with device\$1 and cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:39
S118	5	manag\$3 with storage with device\$1 and cimom and storage with device\$1 with level\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:39
S119	5	manag\$3 with storage with device\$1 and cimom and storage with device\$1 with (level\$1 or hierarch\$4 or tree\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:41
S120	41	manag\$3 with storage with device\$1 and cimom and (level\$1 or hierarch\$4 or tree\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:41

S121	2	manag\$3 with storage with device\$1 and cimom and (level\$1 or hierarch\$4 or tree\$1) same relationship \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:41
S122	1091561	obtain\$3 with information with storage entit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:56
S123	212	obtain\$3 with information with storage with entit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:57
S124	4	obtain\$3 with information with storage with entit\$3 and cim	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:57
S125	2	obtain\$3 with information with storage with entit\$3 and cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:57
S126	7	obtain\$3 with information with storage with entit\$3 and parent\$1 with child\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:58
S127	7	obtain\$3 with information with storage with entit\$3 with relationship\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:01
S128	9	(obtain\$3 with information with storage with entit\$3) same relationship\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:02
S129	7776995	obtain\$3 wiith information with storage\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:08

S130	7581342	obtain\$3 with information with storage\$1 with device \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:08
S131	7479734	obtain\$3 wiith information with storage\$1 with device \$1 and device\$1 with relationship\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:09
S132	927	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:09
S133	517	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:10
S134	270	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6 and device \$1 with (component\$1 or sub\$component\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:10
S135	279	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6 and device \$1 with (component\$1 or sub\$component\$1 or child \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:10
S136	279	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6 and device \$1 with (component\$1 or sub\$component\$1 or child \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:10

S137	174	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6 and device \$1 with (component\$1 or sub\$component\$1or child \$3) and device\$1 with (pool \$1 or disk\$1 or array or raid \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:11
S138	3	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6 and device \$1 with (component\$1 or sub\$component\$1or child \$3) and device\$1 with (pool \$1 or disk\$1 or array or raid \$1) and cim	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:12
S139	1	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6 and device \$1 with (component\$1 or sub\$component\$1or child \$3) and device\$1 with (pool \$1 or disk\$1 or array or raid \$1) and cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:15
S140	17	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6 and device \$1 with (component\$1 or sub\$component\$1or child \$3) and device\$1 with (pool \$1 or disk\$1 or array or raid \$1) and device\$1 with (root or parent or top \$level)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:16
S142	2	"20020054090"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/30 12:44
S143	2	((("20020054090") or ("6721727"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/30 12:45

EAST Search History (Interference)

< This search history is empty >

7/31/2009 3:06:15 PM

C:\Documents and Settings\usaeed\Desktop\East work Spaces\10739228.wsp